Woodstream Corporation International Emergency Phone 70 69 N. Locust Street Information Phone 80 Lititz, PA 17543 Information Phone 80 SECTION I: MATERIAL IDENTIFICATION 7' 7' Product Number/Size: DT362 28 LB Trade Name: Dr. T's Snake-A-Way Snake Repelling Granules 7' Also Known As: Snake-A-Way Snake-A-Way Description: Repellent for Snakes 7' Chemical Composition: Mixture 5PA Reg. No. 58630-1 SECTION II: INGREDIENTS E 5		
SECTION I: MATERIAL IDENTIFICATION ProductNumber/Size: D1362 28 L8 Trade Name: D: Ts Snake-AWay Snake Repelling Granules Alse Known As: Snake-AWay Description: Repellent for Snakes Chemical Composition: Muture Regulatory Licenses: EPA Reg. No. 58630-1 Stormer CAS # Chemical Composition: SECTION II: INGREDIENTS Sultur 91-20-3 Sultur 7704-34-9 SECTION II: PHYSICAL DATA Balling Point: Stormer Composition: Not Established Oder mysice Molecular Stormer Sto	800-424-9300 703-527-3887 800-800-1819 717-626-2125	
Chemical Composition: Mixture Regulatory Licenses: EPA Reg. No. 58630-1 SECTION II: INGREDIENTS Non-Hazardous Component (s) % BY WT CAS # Ch Naphthalene 91-20-3 Sulfur 7704-34-9 SECTION III: PHYSICAL DATA Builing Point: 831° F Viscosity: Not Established Yapor Pressure (mul Hg): 0.04 mmHg@21°C Oddr: Mothball Yapor Density (AIR=1): N/A Specific Gravit (Water-1): 0.432 Bulk Density: Not Established Percent, Volitile by Volume %: N/A Solubitity in Water Instablished Percent, Volitile by Volume %: N/A Solubitity in Water Instablished Percent, Volitile by Volume %: N/A Solubitity in Water Instablished Percent, Volitile by Volume %: N/A Solubitity in Water Instablished Percent, Volitile by Volume %: N/A Solubitity in Water Instablished Percent, Volitile by Volume %: N/A SectTION IV: FIRE AND EXPLOSION HAZARD DATA Instablished NEPA Fire Rating: 1 Filammable Lei: N/A NEPA Fire Rating: 1 Patheadth Rating: 2 Autoignation Temp; Not Determined NEPA Fire Rating: 1 <	11 010 1110	
SECTION II: INGREDIENTS Non-Hazardous Component (s) % BY WT CAS # Ch Naphthalene 91-20-3 Sultur 7704-34-9 SECTION III: PHYSICAL DATA Roiling Point: 831° F Viscosity: Not Established Yapor Density (AIR=1): N/A Specific Gravity (Water=1): 0.432 Bulk Density: Not Established Percent, Volitile by Yolume %: N/A Freezing Point: Not Established Evaporation Rate (Xvlene=1): N/A Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan DI: No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (method): Not Applicable, combustible solid NFPA Fire Rating: 1 Plannmable Lel: N/A NFPA Fire Rating: 1 1 Elammable Lel: N/A NFPA Fire Rating: 0 1 Flammable Lel: N/A NFPA Fire Rating: 1 1 Margardous Products of Combustion: Carbon Dioxides, sulfur oxides 5 Special Fire Fighting Wear self-contained breathing apparatus and protective clothing. Procedures: Hartful if swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure Limit; See Section		
Naphthalene 91-20-3 Sultur 7704-34-9 SECTION III: PHYSICAL DATA		
Sulur 770-34-9 SECTION III: PHYSICAL DAT. Bailing Point: 831° F Viscosity: Not Established Super Pressure (mm Hg) 0.04 mmHg@21°C Onic: Mothbail Super Pressure (mm Hg) 0.04 mmHg@21°C Onic: Mothbail Super Pressure (mm Hg) NA Specific Gravit/ Water:: 0.0432 Bulk Density: Not Established Evaporation Rate (Xvlence::) NA Solubilitin: Nate:: Insoluble Precent, Volitile by Volume 36: NA Solubilitin: Nate:: Insoluble Prevent, Volitile by Volume 36: NA Solubilitin: Nate:: Insoluble Prevent, Volitile by Volume 36: NA Solubilitin: Nate:: Insoluble Nate:: Nate:: Nate:: Solubilitin: Nate:: Insoluble ND Data Available SECTION VY: FIRE AND EXPLOSION HAZARD DATA NFPA Health Rating: 2 Autoigation Temp; Not Determined NFPA Health Rating: 2 Mater, Foam, CO2, or Dre Hazardous Products: of Combustion: Carlot Doxides, sulfur oxides Section II Section II Section II Hazardous Products:	nemical Formula	
SECTION III: PHYSICAL DATA Boiling Point: 831" F Viscosity: Not Established Vapor Pressure (mm H2): 0.44 mmHg@21"C Odor: Mothball Vapor Density (AIRE): N/A Specific Gravity (Water-1): 0.432 Bulk Density: N/A Specific Gravity (Water-1): 0.432 Bulk Density: N/A Specific Gravity (Water-1): 0.432 Solubility in Water: Insoluble Precent, Volitile by Volume %: N/A Solubility in Water: Insoluble Physical State Solid Appearance: Light Tan H: No Data Available SECTION VI: FIRE AND EXPLOSION HAZARD DATA Flash Point (method): N/A Extinguishing Material: 1 Flammable Uei: N/A N/PA Reactivity Rating: 0 Flasmable Uei: N/A Special Fire Fighting: Wear self-contained breathing apparatus and protective clothing. Procedures: SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Sectin I Effects of Over Exposure: Harmfu		
Boiling Point: 831° F Viscosity Not Established Vapor Pressure (nm Hg) 0.04 mmHg@21°C Odor Wothold Vapor Density (AIR=1): N/A Specific Gravity (Water=1): 0.432 Bulk Density Not Established Percent, Voilitile by Volume?): N/A Bulk Density Not Established Evaporation Rate (Xvlene=1): N/A Solubility in Water Insoluble Physical State Solid Appearance: Light Tan DH No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Sectific And Particulable, combustible solid MFPA Health Rating: 2 Autoignition Temp. Not Determined MFPA Fire Rating: 1 3 Autoignition Temp. Not Determined MFPA Reactivity Rating: 0 Bammable Lie: N/A KA NPPA Reactivity Rating: 0 General Statement: Varing! Hamful is swallowed. Causes skin and protective clothis: Varing: Hamful is swallowed. Causes skin and eye irritation. Kay cause allergic skin causes firitation to eyes and respiratory tract. Cecupational Exposure Limit: See Section I Effects of Over Exposure? Hamful is swallowed. Causes skin and eye irritatio		
Bioling Point: 831° F Viscosity Not Established Vapor Pressure (mm Hg) 0.04 mmHg@21°C Odor Wothball Vapor Density (AIR=1): N/A Specific Gravity (Water=1): 0.432 Bulk Density Not Established Percent, Voitilie by Volume'9: N/A Bulk Density Not Established Evaporation Rate (Xtene=1): N/A Solubility in Water Insoluble Evaporation Rate (Xtene=1): N/A Solubility in Water Insoluble Out Available Solid SECTION IV: FIRE AND EXPLOSION HAZARD DATA Section Rate (Xtene=1): N/A Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp. Not Determined NFPA Fire Rating: 1 Flammable Lie: N/A NFPA Reactivity Rating: 0 Ball Aradrous Products carbon Dioxides, sulfur oxides Section I Water, Foam, CO2, or Dry Barbin Procedures: Varing: Harmful is swallowed. Causes skin and protective clothis: scienceral Statemet: Water, Foam, CO2, or Dry Barbin Procedures: Varing: Harmful is swallowed. Causes skin and eye irritatio. May cause allergic skin <td></td>		
Vapor Pressure (mm Hg): 0.04 mmHg@21*C Odor: Mothoali Vapor Density (AIR=1): N/A Specific Gravity (Water=1): 0.432 Bulk Density: Not Established Percent, Volitile by Volume %: NA Ercezing Point: Not Established Evaporation Rate (Xylene=1): NA Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan pH: No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp.; Not Determined NFPA Fire Rating: 1 Flash Point (method): Not Applicable, combustible solid NFPA Fire Rating: 0 Elammable Let: N/A Extinguishing Material: Water, Foam, CO2, or Dn Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Special Fire Fighting: Wear self-contained breathing apparatus and protective clothing. Procedures: Sec Section II Effects of Over Exposure: Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract.		
Vapor Density (AIR=1): N/A Bulk Density: Not Established Percent, Volitile by Volume %: N/A Freezing Point: Not Established Evaporation Rate (Xylene=1): N/A Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan pH: No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Fire Rating: 1 Flash Point (method): Not Determined NFPA Fire Rating: 1 Autoignition Temp: Not Determined NFPA Fire Rating: 1 Flammable Lel: N/A N/A Net Part Reactivity Rating: 0 Flammable Lel: N/A N/A Net Part Reactivity Rating: 0 Hazardous Products of Combustion: Carbon Dioxides, suffur oxides Special Fire Fighting Water, Foam, CO2, or Dry Procedures: Wear self-contained breathing apparatus and protective clothing. Procedures: SECTION V: HEALTH HAZARD DATA Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure: Hamiful if swallowed. Causes skin and eye irritation. May cause allergic skir causes firet fire fighting: Procedures: <		
Bulk Density: Not Established Percent, Volitile by Volume %: N/A Freezing Point: Not Established Evaporation Rate (Xvlene=1): N/A Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan DH No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Insoluble N/PA Health Rating: 2 Autoignition Temp: Not Determined NFPA Health Rating: 2 Autoignition Temp: Not Determined NFPA Reactivity Rating: 0 Flash Point (method): N/A Extinguishing Material: Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Procedures: SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic t		
Freezing Point: Not Established Evaporation Rate (Xviene=1): N/A Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan pH: No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA 2 Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp:: Not Determined NFPA Fire Rating: 1 Flammable Lei: N/A NFPA Reactivity Rating: 0 Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Bazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry SECTION V: HEALTH HAZARD DATA General Statement: Warning!! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and		
Solubility in Water: Insoluble Physical State: Solid Appearance: Light Tan Itil No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp: Not Determined NFPA Fire Rating: 1 Flaam able Lel: NA NFPA Reactivity Rating: 0 Flaamable Lel: NA Extinguishing Material: Water, Foam, CO2, or Dr. Hazardous Products: of Combustion: Carbon Dioxides, sulfur oxides Extinguishing Material: Water, Foam, CO2, or Dr. Bracedures: Carbon Dioxides, sulfur oxides SECTION V: HEALTH HAZARD DATA Extinguishing Material: Water, Foam, CO2, or Dr. SECTION V: HEALTH HAZARD DATA General Statement: Varning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure: Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenic to humans. Immans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or protong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestord		
Appearance: Light Tan H: No Data Available SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp: Not Determined NFPA Fire Rating: 1 Flammable Lel: NA NA NFPA Reactivity Rating: 0 Flammable Lel: NA Extinguishing Material: Water, Foam, CO2, or Dr Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dr Special Fire Fighting: Wear self-contained breathing apparatus and protective clothing. Procedures: SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic annemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, resp		
SECTION IV: FIRE AND EXPLOSION HAZARD DATA Flash Point (method); Not Applicable, combustible solid NFPA Health Rating; 2 Autoignition Temp; Not Determined NFPA Fire Rating; 1 Flammable Lel; N/A NFPA Reactivity Rating; 0 Flammable Uel; N/A Extinguishing Material; Water, Foam, CO2, or Dry Hazardous Products of Combustion; Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Brecial Fire Fighting Procedures; Wear self-contained breathing apparatus and protective clothing. Procedures; SECTION V: HEALTH HAZARD DATA General Statement; Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure Limit; See Section II Effects of Over Exposure; Harmful if swallowed. Causes eye and skin irritation Carcinogencity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects; Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec, Exp. Limits; OSHA Z-1 10pm Potential Health Effects; Headache, confusion, personality change, tremors, convulsive seizures, respir		
Flash Point (method): Not Applicable, combustible solid NFPA Health Rating: 2 Autoignition Temp:: Not Determined NFPA Fire Rating: 1 Flammable Lel: N/A NFPA Reactivity Rating: 0 Flammable Lel: N/A Extinguishing Material: Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Water, Foam, CO2, or Dry SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Marmans. Chronic Effect: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: Acute Inhalation: > 340 mg/kg		
Autoignition Temp: Not Determined NFPA Fire Rating: 1 Flammable Lei: N/A NFPA Reactivity Rating: 0 Flammable Uei: N/A Extinguishing Material: Water, Foam, CO2, or Dry Hazardous Products: of Combustion: Carbon Dioxides, sulfur oxides Water, Foam, CO2, or Dry Special Fire Fighting: Wear self-contained breathing apparatus and protective clothing. Procedures: SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir General Statement: Warning! Harmful is swallowed. Causes eye and respiratory tract. May cause allergic skir Occupational Exposure Limit: See Section II See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Maranas. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong or age and amage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: Acute Inhalatio: > 340 mg/kg Acute Inhalat		
Flammable Lel: N/A NFPA Reactivity Rating: 0 Flammable Uel: N/A Extinguishing Material: Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Wear self-contained breathing apparatus and protective clothing. Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Maring! SECTION V: HEALTH HAZ Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skir causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to numans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Ora: 400 mg/kg 340 mg/m3 Eve Irritation Mid		
Flammable Uel: N/A Extinguishing Material: Water, Foam, CO2, or Dry Hazardous Products of Combustion: Carbon Dioxides, sulfur oxides Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Orail Acute Inhalation: > 340 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
of Combustion: Carbon Dioxides, sulfur oxides Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg 2500 mg/kg Acute Inhalatio: > 340 mg/m3 Eve Irritatio: Mild	y Chemical	
Procedures: SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg Acute Dermal: > 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
SECTION V: HEALTH HAZARD DATA General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distracture Oral: 490 mg/kg Acute Dermal: > 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
General Statement: Warning! Harmful is swallowed. Causes skin and eye irritation. May cause allergic skin causes irritation to eyes and respiratory tract. Occupational Exposure Limit: See Section II Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to numans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: 490 mg/kg Acute Oral: 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eye Irritation: Mild		
Effects of Over Exposure: Harmful if swallowed. Causes eye and skin irritation Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg Acute Inhalation: > 340 mg/m3 Eye Irritation: Mild	n reaction. Dust or vapor	
Carcinogenicity: This product contains Naphthalene which is knows to be a possible carcinogenic to humans. Chronic Effects: Possible cancer hazard - may cause cancer based on animal data. Repeated or prolong organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. Rec. Exp. Limits: OSHA Z-1 10ppm Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
organ damage. Effects may be delayed. Chronic inhalation, skin absorption or ingestion severe hemolytic anemia. <u>Rec. Exp. Limits:</u> OSHA Z-1 10ppm <u>Potential Health Effects:</u> Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr <u>Acute Oral:</u> 490 mg/kg <u>Acute Inhalation:</u> > 2500 mg/kg <u>Acute Inhalation:</u> > 340 mg/m3 <u>Eve Irritation:</u> Mild		
Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg Acute Dermal: > 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
Potential Health Effects: Headache, confusion, personality change, tremors, convulsive seizures, respiratory distr Acute Oral: 490 mg/kg Acute Dermal: > 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
Acute Oral: 490 mg/kg <u>Acute Dermal:</u> > 2500 mg/kg <u>Acute Inhalation:</u> > 340 mg/m3 <u>Eve Irritation:</u> Mild	ress	
Acute Dermal: > 2500 mg/kg Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
Acute Inhalation: > 340 mg/m3 Eve Irritation: Mild		
Eve Irritation: Mild		
Sensitization: Not Available		

Skin	Irritation		
he he all a film in	Initation		Wash with plenty of soap and water. Get medical attention.
Inhalation	Irritation		Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.
Eye	Irritation		Flush thoroughly with water for 10 to 15 minutes. Contact physician if irritation persists.
Ingestion		on, personality change, seizures, respiratory	Call physician or emergency phone number immediately. Do not give anything by mouth or induce vomiting unless instructed by physician.
SECTION VI: 1			
	Stability:		
			and molten naphthalene may be violent.
		Strong oxiding agents.	
		Oxides of carbon and sulfur	
	nditions to avoid:		
	s Polymerization:		
	nditions to avoid:		
		AK PROCEDURES	
		Minimize dust generation and Do not allow material to enter	accumulation. Sweep up and place in a clearly labeled container for chemical waste. drains or streams.
Waste	Disposal Method:	Dispose of in accordance with	n local, provincial and nation regulations
Product]	Disposal Method:	Do not reuse container. If em agency for disposal instruction	pty, dispose of in trash or offer for recycling. If partially filled, call your local solid waste ns.
SECTION VIII:	SPECIAL PR	OTECTION INFOR	MATION
<u>Respi</u>	ratory Protection:		keep airborne concentrations below established exposure limits, wear a NIOSH-approv -efficiency particulate filter(s). Contact health and safety professionals for specific
1	Protective Gloves:	Wear protective gloves and c	lothing. Contact health and safety professionals for additional information.
	Eve Protection:	Face Shield, Chemical Gogg	les, or Safety Glasses.
Pr	otective Clothing:	Wear disposable coveralls, la	ab coat, or apron to prevent skin contact.
	Ventilation:	Use local exhaust if handling	liquid in an enclosed area.
Other Prote	ective Equipment:	When Fire-Fighting, use a ful containers and equipment co	I-faced self contained breathing apparatus with full protective gear. Keep nearby ol with a water spray.
	Protection Note:	Personal protection informati conditions.	on provided in this Section is based upon general information as to normal uses and
SECTION IX: S	SPECIAL PRE	CAUTIONS	
Stora	ge and Handling:	freezing. Store away from ig	closed. Store in areas that are cool, dry and well ventilated. Protect from heat and nition sources, keep out of streams, or ponds. Do not contaminate Do not contaminate al of waste or rinsate. Read and observe all cautions on the product label and directions
<u>C</u>	ther Precautions:	None	
	Precaution Note:	None	
		INFORMATION	
SECTION X: E	COLOGICAL		
SECTION X: E		This product is toxic to fish.	Do not apply directly to water, or to areas where surface water is present or to intertidal vater mark. Do not contaminate water when cleaning equipment or disposing of sate.

SECTION XI: TRANSPORTATION INFORMATION

DOT HAZARD DESCRIPTION

DOT Proper Shipping Name:	Not regulated
Identification Number:	None
DOT Hazard Class/Division:	None
Packaging Group:	None
Packaging Instructions:	Not regulated
Special Instructions:	Not regulated
Placard:	None
Emergency Response Guide#:	N/A
US Surface Freight Class:	Not regulated

IATA CLASSIFICATION

IATA Proper Shipping Name:	Not regulated
IATA Identification Number:	
IATA Hazard Class/Division:	Not regulated
Packaging Group:	None
IATA Bulk Packaging Inst:	Not regulated
IATA Shipping Notes:	Not regulated

IMO CLASSIFICATION

IMO Proper Shipping Name:	Not regulated
IMO Identification Number:	
IMO Hazard Class/Division:	Not regulated
Packaging Group:	None
IMO Shipping Notes:	Not regulated
IMO Bulk Packaging Inst:	NA
IMO Stowage Category:	Not regulated

SECTION XII: REGULATORY INFORMATION

SARA Title III:	Not Regulated
SARA Product Classification:	Not classified
Acute:	Yes
Chronic:	Yes
<u>Fire:</u>	N/A
Reactivity:	N/A
Pressure Generating:	N/A
311/312 Hazard Categories:	Acute, Chronic
313 Reportable Ingredients:	Naphthalene
TSCA Regulatory:	Naphthalene
State Regulations:	Massachusetts Right-to Know List: Napthalene, Sulfur
	Minnesota Hazardous Substances List: Napthalene
	New Jersey Right-To-Know List: Napthalene, Sulfur
	Pennsylvania Right-To-Know List: Napthalene, Sulfur
Proposition 65 Statement:	Rhode Island Right-To-Know List: Napthalene, Sulfur This product contains a chemical known to the State of California to cause cancer or reproductive toxicity.
	California Prop 65 chemical: Naphthalene

European Classification:

SECTION XIII: OTHER INFORMATION

	<u>Memo:</u>	While this information and recommendations set forth are believed to be accurate as of the date hereof, Woodstream Corp. makes no warranty with respect hereto and disclaims all liability from reliance thereon			
Date MSDS Prepared:	7	/5/2011		Contact:	Mark Mongiovi
Supercedes Date:	1	/8/2009		Title:	Regulatory Affairs

Monday, July 18, 2011