SAFETY DATA SHEET

Issuing Date 5/01/2015



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Safer® Brand Flying Insect Killer

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Insecticide - Flying Bug Insecticide - Aerosol

Uses advised against It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Details of the supplier of the safety data sheet

Supplier NameWoodstream Corp.Supplier Address69 North Locust St.

Lititz PA 17543 US

Supplier Phone Number Phone:(717) 626-2125

Fax:(717) 626-1912

Contact Phone(800) 800-1819 mandre@woodstream.com

Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

Supplier Email

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization	Category 1
Gases under pressure	Compressed gas

GHS Label elements, including precautionary statements

Emergency Overview



Signal word

Warning

Hazard Statements

May cause an allergic skin reaction

Contains gas under pressure; may explode if heated



Appearance Opaque white

Physical State Liquid spray Aerosol

Odor Citrus

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label)

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

2.42% of the mixture consists of ingredient(s) of unknown toxicity

Other information

Causes mild skin irritation

Harmful to aquatic life with long lasting effects

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.



3. COMPOSITION/INFORMATION ON INGREDIENTS

.

Chemical Name	CAS No.	Weight-%	Trade Secret
Ethyl alcohol	64-17-5	3 - 7	*
D-Limonene	5989-27-5	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist,

call a physician.

Skin Contact Wash skin with soap and water. In the case of skin irritation or allergic reactions

see a physician. May cause an allergic skin reaction. In case of contact with

liquefied gas, thaw frosted parts with lukewarm water.

Inhalation Remove to fresh air. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a

physician.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Itching. Rashes. Hives.

Effects

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically. May cause sensitization of susceptible persons.



5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific Hazards Arising from the Chemical

Product is or contains a sensitizer. May cause sensitization by skin contact. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Uniform Fire Code Aerosols: Level I

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not puncture or

incinerate cans. Contents under pressure. Avoid breathing vapors or mists. Do not stick pin or any other sharp object into opening on top of can. Avoid contact with skin and eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Incompatible Products

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL
64-17-5		TWA: 1900 mg/m ³	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m ³
		(vacated) TWA: 1900 mg/m ³	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory ProtectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Take off

contaminated clothing and wash before reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Liquid spray Aerosol



AppearanceOpaque whiteOdorCitrus

Color No information available Odor Threshold No information available

None known

Property Values Remarks/ Method

7.6 None known pН No data available Melting / freezing point None known Boiling point / boiling range No data available None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limitNo data availableLower flammability limitNo data availableVapor pressureNo data available

Vapor densityNo data availableNone knownSpecific GravityNo data availableNone knownWater SolubilitySoluble (>1%)None knownSolubility in other solventsNo data availableNone knownPartition coefficient: n-octanol/water0No data availableNone knownAutoignition temperatureNo data availableNone known

Autoignition temperature

No data available

None known

None known

None known

None known

None known

None known

Explosive properties No data available
Oxidizing Properties No data available

Other Information

Softening Point
VOC Content (%)
Particle Size
No data available
No data available
No data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION



Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.

.

Inhalation Specific test data for the substance or mixture is not available.

Eye Contact Specific test data for the substance or mixture is not available.

Skin Contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol 64-17-5	-	-	= 124.7 mg/L (Rat)4 h
D-Limonene 5989-27-5	= 4400 mg/kg (Rat)	> 5 g/kg(Rabbit)	-

Information on toxicological effects

Symptoms Itching. Rashes. Hives.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause sensitization of susceptible persons. May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х
D-Limonene 5989-27-5		Group 3		Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity

STOT - single exposure

No information available.

No information available.

No information available.

Chronic Toxicity No known effect based on information supplied. Ethanol has been shown to be a

reproductive toxin only when consumed as an alcoholic beverage. Ethanol has been shown

to be carcinogenic in long-term studies only when consumed as alcoholic beverage.



Target Organ Effects Skin. Blood. Central Nervous System (CNS). Eyes. Liver. Reproductive System.

Respiratory system.

Aspiration Hazard No information available.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (inhalation-dust/mist)

2,494.00 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethyl alcohol 64-17-5		96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss)		48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L
D-Limonene 5989-27-5		96h LC50: = 35 mg/L (Oncorhynchus mykiss) 96h LC50: 0.619 - 0.796 mg/L (Pimephales promelas)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Ethyl alcohol	-0.32
64-17-5	

Other adverse effects

No information available.



13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

> CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local

regulations for additional requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 232

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Ethyl alcohol 64-17-5	Toxic Ignitable
D-Limonene 5989-27-5	Toxic

14. TRANSPORT INFORMATION

DOT

Proper Shipping Name Limited Quantity

Hazard Class

Description Aerosols- Non-Flammable

Emergency Response Guide

Number

TDG

UN-No. UN1950 **Proper Shipping Name AEROSOLS**

Hazard Class

Description UN1950, AEROSOLS, 2.2

MEX

UN-No. UN1950 **AEROSOLS Proper Shipping Name**

Hazard Class 2.2

Description UN1950 AEROSOLS, 2.2

ICAO

UN1950 UN-No. **Proper Shipping Name AEROSOLS**

Hazard Class

Description UN1950, AEROSOLS, 2.2

IATA

UN-No. UN1950

Proper Shipping Name Limited Quantity- Not Labeled for Air Shipments

Hazard Class

Description UN1950, AEROSOLS, NON-FLAMMABLE, 2.2



IMDG/IMO

UN-No. UN1950

Proper Shipping Name Limited Quantity

Hazard Class 2.2

EmS-No. F-D, S-U

Description UN1950, AEROSOLS, 2.2(SEE SP63)

<u>RID</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.2

Classification code 5A

Description UN1950 AEROSOLS, 2.2

<u>ADR</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

Description UN1950 AEROSOLS, 2.2

<u>ADN</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

Special Provisions 190, 327, 344, 625 **Description** UN1950 AEROSOLS, 2.2

Hazard Labels 2.2 Limited Quantity 1 L Ventilation VE04

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden release of pressure hazardYesReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65	
Ethyl alcohol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5		Х			
Dipentene 138-86-3	X				
Acetic acid 64-19-7	Х	Х	Х	Х	

International Regulations

Mexico

National occupational exposure limits

itational occupational expectate innite					
	Component	Carcinogen Status	Exposure Limits		
	Ethyl alcohol		Mexico: TWA 1000 ppm		
	64-17-5 (3 - 7)		Mexico: TWA 1900 mg/m ³		

Mexico - Occupational Exposure Limits - Carcinogens

Canada

WHMIS Hazard Class

A - Compressed gases

D2B - Toxic materials



16. OTHER INFORMATION						
NFPA	Health Hazards 2	Flammability 0	Instability 0	Physical and		
HMIS	Health Hazards 2	Flammability 0	Physical Hazard 0	Chemical Hazards - Personal Protection X		



Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 24-Oct-2014

Revision Note No information available

Disclaimer

Revision Date

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

